

**Train Screenwash  
C169**

Date of compilation: 08/11/2022 Version: 1

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier:** Train Screenwash  
C169
- Other means of identification:**  
Non-applicable
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Chemical cleaning products. For industrial user only.  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
Arrow Solutions  
Rawdon Road, Moira  
DE12 6DA Swadlincote - Derbyshire - United Kingdom  
Phone: 01283 221044  
sales@arrowchem.com  
www.arrowchem.com
- 1.4 Emergency telephone number:** 0777 8505 330 (24 hrs)

**SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture:**  
**GB CLP Regulation:**  
Classification of this product has been carried out in accordance with GB CLP Regulation.  
Flam. Liq. 3: Flammable liquids, Category 3, H226
- 2.2 Label elements:**  
**GB CLP Regulation:**  
Warning
- 
- Hazard statements:**  
Flam. Liq. 3: H226 - Flammable liquid and vapour.
- Precautionary statements:**  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233: Keep container tightly closed.  
P240: Ground/bond container and receiving equipment.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves.  
P501: Dispose of the contents and/or its container in line with regulations on dangerous waste or packaging and waste packaging respectively.
- Labelling for contents:**  
Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE).
- 2.3 Other hazards:**  
Product fails to meet PBT/vPvB criteria

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

- 3.1 Substance:**  
Non-applicable
- 3.2 Mixture:**  
**Chemical description:** Aqueous solution based on alcohols and surfactants.  
**Components:**  
In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

- CONTINUED ON NEXT PAGE -

**Train Screenwash  
C169**

Date of compilation: 08/11/2022

Version: 1

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)**

| Identification | Chemical name/Classification                                                           | Concentration |
|----------------|----------------------------------------------------------------------------------------|---------------|
| CAS: 64-17-5   | <b>ethanol</b><br>Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger                      | 3 - <10 %     |
| CAS: 67-63-0   | <b>propan-2-ol</b><br>Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger | <1 %          |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification          | Specific concentration limit      |
|-------------------------|-----------------------------------|
| ethanol<br>CAS: 64-17-5 | % (w/w) >=50: Eye Irrit. 2 - H319 |

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

**By ingestion/aspiration:**

In case of consumption, seek immediate medical assistance showing the SDS for the product.

**4.2 Most important symptoms and effects, both acute and delayed:**

Acute and delayed effects are indicated in sections 2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

**Suitable extinguishing media:**

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO<sub>2</sub>).

**Unsuitable extinguishing media:**

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

- CONTINUED ON NEXT PAGE -

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

#### B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in The Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016 and with the minimum requirements for protecting the security and health of workers under the selection criteria of The Dangerous Substances and Explosive Atmospheres Regulations 2002, 2002 No. 2776. Consult section 10 for conditions and materials that should be avoided.

#### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Technical measures for storage

Minimum Temp.: 4 °C

Maximum Temp.: 40 °C

Maximum time: 48 Months

#### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- CONTINUED ON NEXT PAGE -

**Train Screenwash  
C169**

Date of compilation: 08/11/2022 Version: 1

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

| Identification              |  | Occupational exposure limits |          |                        |
|-----------------------------|--|------------------------------|----------|------------------------|
| ethanol<br>CAS: 64-17-5     |  | WEL (8h)                     | 1000 ppm | 1920 mg/m <sup>3</sup> |
|                             |  | WEL (15 min)                 |          |                        |
| propan-2-ol<br>CAS: 67-63-0 |  | WEL (8h)                     | 400 ppm  | 999 mg/m <sup>3</sup>  |
|                             |  | WEL (15 min)                 | 500 ppm  | 1250 mg/m <sup>3</sup> |

**DNEL (Workers):**

| Identification                               |            | Short exposure |                | Long exposure         |                |
|----------------------------------------------|------------|----------------|----------------|-----------------------|----------------|
|                                              |            | Systemic       | Local          | Systemic              | Local          |
| ethanol<br>CAS: 64-17-5<br>EC: 200-578-6     | Oral       | Non-applicable | Non-applicable | Non-applicable        | Non-applicable |
|                                              | Dermal     | Non-applicable | Non-applicable | 343 mg/kg             | Non-applicable |
|                                              | Inhalation | Non-applicable | Non-applicable | 950 mg/m <sup>3</sup> | Non-applicable |
| propan-2-ol<br>CAS: 67-63-0<br>EC: 200-661-7 | Oral       | Non-applicable | Non-applicable | Non-applicable        | Non-applicable |
|                                              | Dermal     | Non-applicable | Non-applicable | 888 mg/kg             | Non-applicable |
|                                              | Inhalation | Non-applicable | Non-applicable | 500 mg/m <sup>3</sup> | Non-applicable |

**DNEL (General population):**

| Identification                               |            | Short exposure |                | Long exposure         |                |
|----------------------------------------------|------------|----------------|----------------|-----------------------|----------------|
|                                              |            | Systemic       | Local          | Systemic              | Local          |
| ethanol<br>CAS: 64-17-5<br>EC: 200-578-6     | Oral       | Non-applicable | Non-applicable | 87 mg/kg              | Non-applicable |
|                                              | Dermal     | Non-applicable | Non-applicable | 206 mg/kg             | Non-applicable |
|                                              | Inhalation | Non-applicable | Non-applicable | 114 mg/m <sup>3</sup> | Non-applicable |
| propan-2-ol<br>CAS: 67-63-0<br>EC: 200-661-7 | Oral       | Non-applicable | Non-applicable | 26 mg/kg              | Non-applicable |
|                                              | Dermal     | Non-applicable | Non-applicable | 319 mg/kg             | Non-applicable |
|                                              | Inhalation | Non-applicable | Non-applicable | 89 mg/m <sup>3</sup>  | Non-applicable |

**PNEC:**

| Identification                               |              |            |                         |            |  |
|----------------------------------------------|--------------|------------|-------------------------|------------|--|
| ethanol<br>CAS: 64-17-5<br>EC: 200-578-6     | STP          | 580 mg/L   | Fresh water             | 0.96 mg/L  |  |
|                                              | Soil         | 0.63 mg/kg | Marine water            | 0.79 mg/L  |  |
|                                              | Intermittent | 2.75 mg/L  | Sediment (Fresh water)  | 3.6 mg/kg  |  |
|                                              | Oral         | 0.38 g/kg  | Sediment (Marine water) | 2.9 mg/kg  |  |
| propan-2-ol<br>CAS: 67-63-0<br>EC: 200-661-7 | STP          | 2251 mg/L  | Fresh water             | 140.9 mg/L |  |
|                                              | Soil         | 28 mg/kg   | Marine water            | 140.9 mg/L |  |
|                                              | Intermittent | 140.9 mg/L | Sediment (Fresh water)  | 552 mg/kg  |  |
|                                              | Oral         | 0.16 g/kg  | Sediment (Marine water) | 552 mg/kg  |  |

**8.2 Exposure controls:**

**A.- Individual protection measures, such as personal protective equipment**

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

**B.- Respiratory protection**

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

**C.- Specific protection for the hands**

| Pictogram                                                                                                        | PPE                                                                                                                               | Remarks                                          |
|------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| <br>Mandatory hand protection | Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm) | Replace the gloves at any sign of deterioration. |

- CONTINUED ON NEXT PAGE -

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

### D.- Eye and face protection

| Pictogram                                                                                                      | PPE                                           | Remarks                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

### E.- Body protection

| Pictogram                                                                                                               | PPE                                                           | Remarks                                     |
|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|---------------------------------------------|
| <br>Mandatory complete body protection | Antistatic and fireproof protective clothing                  | Limited protection against flames.          |
| <br>Mandatory foot protection          | Safety footwear with antistatic and heat resistant properties | Replace boots at any sign of deterioration. |

### F.- Additional emergency measures

| Emergency measure                                                                                       | Standards                                       | Emergency measure                                                                                        | Standards                                      |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties:

#### Appearance:

|                          |                  |
|--------------------------|------------------|
| Physical state at 20 °C: | Liquid           |
| Appearance:              | Transparent      |
| Colour:                  | Colourless       |
| Odour:                   | Alcohol          |
| Odour threshold:         | Non-applicable * |

#### Volatility:

|                                        |                         |
|----------------------------------------|-------------------------|
| Boiling point at atmospheric pressure: | >35 °C                  |
| Vapour pressure at 20 °C:              | 2523 Pa                 |
| Vapour pressure at 50 °C:              | 13135.36 Pa (13.14 kPa) |
| Evaporation rate at 20 °C:             | Non-applicable *        |

#### Product description:

|                               |                             |
|-------------------------------|-----------------------------|
| Density at 20 °C:             | 974 - 994 kg/m <sup>3</sup> |
| Relative density at 20 °C:    | 0.974 - 0.994               |
| Dynamic viscosity at 20 °C:   | Non-applicable *            |
| Kinematic viscosity at 20 °C: | Non-applicable *            |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

|                                              |                      |
|----------------------------------------------|----------------------|
| Kinematic viscosity at 40 °C:                | Non-applicable *     |
| Concentration:                               | Non-applicable *     |
| pH:                                          | Non-applicable *     |
| Vapour density at 20 °C:                     | Non-applicable *     |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable *     |
| Solubility in water at 20 °C:                | Non-applicable *     |
| Solubility properties:                       | Highly water-soluble |
| Decomposition temperature:                   | Non-applicable *     |
| Melting point/freezing point:                | Non-applicable *     |
| <b>Flammability:</b>                         |                      |
| Flash Point:                                 | >35 °C               |
| Flammability (solid, gas):                   | Non-applicable *     |
| Autoignition temperature:                    | 399 °C               |
| Lower flammability limit:                    | Not available        |
| Upper flammability limit:                    | Not available        |
| <b>Particle characteristics:</b>             |                      |
| Median equivalent diameter:                  | Non-applicable       |

### 9.2 Other information:

#### Information with regard to physical hazard classes:

|                                                              |                  |
|--------------------------------------------------------------|------------------|
| Explosive properties:                                        | Non-applicable * |
| Oxidising properties:                                        | Non-applicable * |
| Corrosive to metals:                                         | Non-applicable * |
| Heat of combustion:                                          | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

#### Other safety characteristics:

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight            | Humidity       |
|--------------------|------------------|-------------------------|---------------------|----------------|
| Not applicable     | Not applicable   | Risk of combustion      | Avoid direct impact | Not applicable |

### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

### 10.6 Hazardous decomposition products:

- CONTINUED ON NEXT PAGE -

## SECTION 10: STABILITY AND REACTIVITY (continued)

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

#### A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

#### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

#### G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

- CONTINUED ON NEXT PAGE -

## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

| Identification              | Acute toxicity  |                  | Genus  |
|-----------------------------|-----------------|------------------|--------|
| ethanol<br>CAS: 64-17-5     | LD50 oral       | 6200 mg/kg       | Rat    |
|                             | LD50 dermal     | 20000 mg/kg      | Rabbit |
|                             | LC50 inhalation | 124.7 mg/L (4 h) | Rat    |
| propan-2-ol<br>CAS: 67-63-0 | LD50 oral       | 5280 mg/kg       | Rat    |
|                             | LD50 dermal     | 12800 mg/kg      | Rat    |
|                             | LC50 inhalation | 72.6 mg/L (4 h)  | Rat    |

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

#### Acute toxicity:

| Identification              | Concentration |                   | Species                 | Genus      |
|-----------------------------|---------------|-------------------|-------------------------|------------|
| ethanol<br>CAS: 64-17-5     | LC50          | 11000 mg/L (96 h) | Alburnus alburnus       | Fish       |
|                             | EC50          | 9268 mg/L (48 h)  | Daphnia magna           | Crustacean |
|                             | EC50          | 1450 mg/L (192 h) | Microcystis aeruginosa  | Algae      |
| propan-2-ol<br>CAS: 67-63-0 | LC50          | 9640 mg/L (96 h)  | Pimephales promelas     | Fish       |
|                             | EC50          | 13299 mg/L (48 h) | Daphnia magna           | Crustacean |
|                             | EC50          | 1000 mg/L (72 h)  | Scenedesmus subspicatus | Algae      |

#### Chronic toxicity:

| Identification          | Concentration |          | Species            | Genus      |
|-------------------------|---------------|----------|--------------------|------------|
| ethanol<br>CAS: 64-17-5 | NOEC          | 250 mg/L | Danio rerio        | Fish       |
|                         | NOEC          | 2 mg/L   | Ceriodaphnia dubia | Crustacean |

### 12.2 Persistence and degradability:

#### Substance-specific information:

| Identification              | Degradability |                | Biodegradability |          |
|-----------------------------|---------------|----------------|------------------|----------|
| ethanol<br>CAS: 64-17-5     | BOD5          | Non-applicable | Concentration    | 100 mg/L |
|                             | COD           | Non-applicable | Period           | 14 days  |
|                             | BOD5/COD      | Non-applicable | % Biodegradable  | 89 %     |
| propan-2-ol<br>CAS: 67-63-0 | BOD5          | 1.19 g O2/g    | Concentration    | 100 mg/L |
|                             | COD           | 2.23 g O2/g    | Period           | 14 days  |
|                             | BOD5/COD      | 0.53           | % Biodegradable  | 86 %     |

### 12.3 Bioaccumulative potential:

#### Substance-specific information:

| Identification              | Bioaccumulation potential |       |
|-----------------------------|---------------------------|-------|
| ethanol<br>CAS: 64-17-5     | BCF                       | 3     |
|                             | Pow Log                   | -0.31 |
|                             | Potential                 | Low   |
| propan-2-ol<br>CAS: 67-63-0 | BCF                       | 3     |
|                             | Pow Log                   | 0.05  |
|                             | Potential                 | Low   |

### 12.4 Mobility in soil:

| Identification              | Absorption/desorption |                      | Volatility |                                 |
|-----------------------------|-----------------------|----------------------|------------|---------------------------------|
| ethanol<br>CAS: 64-17-5     | Koc                   | 1                    | Henry      | 4.61E-1 Pa·m <sup>3</sup> /mol  |
|                             | Conclusion            | Very High            | Dry soil   | Yes                             |
|                             | Surface tension       | 2.339E-2 N/m (25 °C) | Moist soil | Yes                             |
| propan-2-ol<br>CAS: 67-63-0 | Koc                   | 1.5                  | Henry      | 8.207E-1 Pa·m <sup>3</sup> /mol |
|                             | Conclusion            | Very High            | Dry soil   | Yes                             |
|                             | Surface tension       | 2.24E-2 N/m (25 °C)  | Moist soil | Yes                             |

- CONTINUED ON NEXT PAGE -

## SECTION 12: ECOLOGICAL INFORMATION (continued)

### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

### 12.6 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

#### Type of waste:

HP3 Flammable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

## SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



|                                                                                 |                                    |
|---------------------------------------------------------------------------------|------------------------------------|
| <b>14.1 UN number:</b>                                                          | UN1993                             |
| <b>14.2 UN proper shipping name:</b>                                            | FLAMMABLE LIQUID, N.O.S. (ethanol) |
| <b>14.3 Transport hazard class(es):</b>                                         | 3                                  |
| Labels:                                                                         | 3                                  |
| <b>14.4 Packing group:</b>                                                      | III                                |
| <b>14.5 Environmental hazards:</b>                                              | No                                 |
| <b>14.6 Special precautions for user</b>                                        |                                    |
| Tunnel restriction code:                                                        | D/E                                |
| Physico-Chemical properties:                                                    | see section 9                      |
| Limited quantities:                                                             | 5 L                                |
| <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b> | Non-applicable                     |

### Transport of dangerous goods by sea:

With regard to IMDG 40-20:

**Train Screenwash  
C169**

Date of compilation: 08/11/2022

Version: 1

**SECTION 14: TRANSPORT INFORMATION (continued)**



|                                                                                 |                                    |
|---------------------------------------------------------------------------------|------------------------------------|
| <b>14.1 UN number:</b>                                                          | UN1993                             |
| <b>14.2 UN proper shipping name:</b>                                            | FLAMMABLE LIQUID, N.O.S. (ethanol) |
| <b>14.3 Transport hazard class(es):</b>                                         | 3                                  |
| Labels:                                                                         | 3                                  |
| <b>14.4 Packing group:</b>                                                      | III                                |
| <b>14.5 Marine pollutant:</b>                                                   | No                                 |
| <b>14.6 Special precautions for user</b>                                        |                                    |
| Special regulations:                                                            | 274, 223, 955                      |
| EmS Codes:                                                                      | F-E, S-E                           |
| Physico-Chemical properties:                                                    | see section 9                      |
| Limited quantities:                                                             | 5 L                                |
| Segregation group:                                                              | Non-applicable                     |
| <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b> | Non-applicable                     |

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2022:



|                                                                                 |                                    |
|---------------------------------------------------------------------------------|------------------------------------|
| <b>14.1 UN number:</b>                                                          | UN1993                             |
| <b>14.2 UN proper shipping name:</b>                                            | FLAMMABLE LIQUID, N.O.S. (ethanol) |
| <b>14.3 Transport hazard class(es):</b>                                         | 3                                  |
| Labels:                                                                         | 3                                  |
| <b>14.4 Packing group:</b>                                                      | III                                |
| <b>14.5 Environmental hazards:</b>                                              | No                                 |
| <b>14.6 Special precautions for user</b>                                        |                                    |
| Physico-Chemical properties:                                                    | see section 9                      |
| <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b> | Non-applicable                     |

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

**The Detergents (Amendment) (EU Exit) Regulations:**

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradability criteria stipulated in The Detergents (Amendment) (EU Exit) Regulations. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

**Labelling for contents:**

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE).

**Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):**

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

- CONTINUED ON NEXT PAGE -

## SECTION 15: REGULATORY INFORMATION (continued)

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.  
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.  
Control of Substances Hazardous to Health Regulations 2002 (as amended)  
EH40/2005 Workplace exposure limits.  
COSHH-SR24 Storing chemical products (small scale).  
COSHH-SR2 Diluting chemical concentrates.  
COSHH-SR4 Manual cleaning and disinfecting surfaces.  
The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019: SCHEDULE 34 - Amendment of Regulation (EC) No 1223/2009 and related amendments.  
The Detergents (Amendment) (EU Exit) Regulations 2020.

## SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

### Texts of the legislative phrases mentioned in section 2:

H226: Flammable liquid and vapour.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### GB CLP Regulation:

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

### Classification procedure:

Flam. Liq. 3: Calculation method (2.6.4.3)

### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

### Principal bibliographical sources:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer