



## SAFETY DATA SHEET POWERSOLVE WIPES

According to Regulation (EC) No 1907/2006, Annex II, as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** POWERSOLVE WIPES  
**Internal identification** C842  
**UFI** UFI: 2UF0-F03F-P00V-U8RA

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.  
**Uses advised against** Use only for intended applications.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** ARROW SOLUTIONS  
 RAWDON ROAD  
 MOIRA  
 SWADLINCOTE  
 DERBYSHIRE  
 DE12 6DA  
 TEL: +44 (0)1283 221044  
 FAX: +44 (0)1283 225731  
 sales@arrowchem.com

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 777 8505 330 (24 hrs).

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

**Physical hazards** Flam. Liq. 3 - H226  
**Health hazards** STOT SE 3 - H336  
**Environmental hazards** Not Classified

#### 2.2. Label elements

##### Hazard pictograms



**Signal word** Warning

**Hazard statements** H226 Flammable liquid and vapour.  
 H336 May cause drowsiness or dizziness.

## POWERSOLVE WIPES

<b>Precautionary statements</b>	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P312 Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	---

**UFI** UFI: 2UF0-F03F-P00V-U8RA

**Contains** 1-methoxy-2-propanol

**Detergent labelling** ≥ 30% aliphatic hydrocarbons

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>DIBASIC ESTER</b>	<b>30-60%</b>
CAS number: —	EC number: 906-170-0
	REACH registration number: 01-2119475445-32-XXXX

**Classification**  
Not Classified

<b>(2-methoxymethylethoxy) propanol</b>	<b>10-30%</b>
CAS number: 34590-94-8	EC number: 252-104-2
	REACH registration number: 01-2119450011-60-XXXX

**Classification**  
Not Classified

<b>1-methoxy-2-propanol</b>	<b>10-30%</b>
CAS number: 107-98-2	EC number: 203-539-1
	REACH registration number: 01-2119457435-35-XXXX

**Classification**  
Flam. Liq. 3 - H226  
STOT SE 3 - H336

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information** Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. If medical advice is needed, have product container or label at hand. Show this Safety Data Sheet to the medical personnel.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

## POWERSOLVE WIPES

<b>Ingestion</b>	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention.
<b>Skin contact</b>	Wash skin thoroughly with soap and water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	May cause drowsiness or dizziness.
<b>Ingestion</b>	Gastrointestinal symptoms, including upset stomach.
<b>Skin contact</b>	Prolonged contact may cause dryness of the skin.
<b>Eye contact</b>	May cause discomfort.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.
-------------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Flammable liquid and vapour.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Cool containers exposed to flames with water until well after the fire is out.
---	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Provide adequate ventilation. Do not enter storage areas or confined spaces unless adequately ventilated. Use suitable respiratory protection if ventilation is inadequate. Take precautionary measures against static discharges. Avoid contact with contaminated tools and objects. Do not handle broken packages without protective equipment. Wash thoroughly after dealing with a spillage.
-----------------------------	---

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Wash thoroughly after dealing with a spillage.
--------------------------------	--

## POWERSOLVE WIPES

### 6.4. Reference to other sections

**Reference to other sections** Wear protective clothing as described in Section 8 of this safety data sheet.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Wear protective gloves. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Use only outdoors or in a well-ventilated area. Keep away from flammable and combustible materials. Eliminate all sources of ignition. Avoid release to the environment. Container must be kept tightly closed when not in use. Do not reuse empty containers. Do not eat, drink or smoke when using this product. Do not empty into drains. Do not handle broken packages without protective equipment. Wash hands thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry and cool place. Store at temperatures between 4°C and 40°C. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Storage class** Flammable liquid storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### (2-methoxymethylethoxy) propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m<sup>3</sup>  
Sk

##### 1-methoxy-2-propanol

Long-term exposure limit (8-hour TWA): WEL 100 ppm 375 mg/m<sup>3</sup>  
Short-term exposure limit (15-minute): WEL 150 ppm 560 mg/m<sup>3</sup>  
Sk

WEL = Workplace Exposure Limit.  
Sk = Can be absorbed through the skin.

#### DIBASIC ESTER

<b>DNEL</b>	Industry - Inhalation; Long term : 8.3 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 5 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 0.018 mg/l - marine water; 0.0018 mg/l - Intermittent release; 0.18 mg/l - Sediment (Freshwater); 0.16 mg/kg - STP; 10 mg/l

#### (2-methoxymethylethoxy) propanol (CAS: 34590-94-8)

## POWERSOLVE WIPES

<b>DNEL</b>	<p>Industry - Dermal; Long term : 65 mg/kg/day          Industry - Inhalation; Long term : 310 mg/m<sup>3</sup>          Consumer - Inhalation; Long term : 37.2 mg/m<sup>3</sup>          Consumer - Dermal; Long term : 15 mg/kg/day          Consumer - Oral; Long term : 1.67 mg/kg/day</p>
<b>PNEC</b>	<p>- Fresh water; 19 mg/l          - marine water; 1.9 mg/l          - Intermittent release; 19 mg/l          - STP; 4168 mg/l          - Sediment (Freshwater); 70.2 mg/kg          - Sediment (Marinewater); 7.02 mg/kg          - Soil; 2.74 mg/kg</p>

### 1-methoxy-2-propanol (CAS: 107-98-2)

<b>DNEL</b>	<p>Industry - Inhalation; : 553.5 mg/m<sup>3</sup>          Industry - Inhalation; Long term : 369 mg/m<sup>3</sup>          Industry - Dermal; Long term : 50.6 mg/kg/day          Consumer - Dermal; Long term : 18.1 mg/kg/day          Consumer - Inhalation; Long term : 43.9 mg/m<sup>3</sup>          Consumer - Oral; Long term : 3.3 mg/kg/day</p>
<b>PNEC</b>	<p>- Fresh water; 10 mg/l          - marine water; 1 mg/l          - STP; 100 mg/l          - Sediment (Freshwater); 41.6 mg/kg          - Sediment (Marinewater); 4.17 mg/kg          - Soil; 2.47 mg/kg</p>

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Tight-fitting safety glasses.

## POWERSOLVE WIPES

<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. The selected gloves should have a breakthrough time of at least 4 hours. The breakthrough time for any glove material may be different for different glove manufacturers. When used with mixtures, the protection time of gloves cannot be accurately estimated. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. Protective gloves should have a minimum thickness of 0.15 mm. Glove thickness is not necessarily a good measure of glove resistance as the permeation rate will depend on the exact glove composition. The choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Repeated exposure to chemicals will degrade the ability of the glove to provide resistance to chemicals. Specific work environments and material handling practices may vary, therefore safety procedures should be developed for each intended application. Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. Butyl rubber.
<b>Hygiene measures</b>	Wash hands thoroughly after handling. Wash contaminated clothing before reuse.
<b>Respiratory protection</b>	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Gas and combination filter cartridges should comply with European Standard EN14387. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140. Particulate filters should comply with European Standard EN143. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Check that the respirator fits tightly and the filter is changed regularly. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P2.
<b>Environmental exposure controls</b>	Store in a demarcated bunded area to prevent release to drains and/or watercourses. Keep container tightly sealed when not in use. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear, yellowish liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Characteristic. Ester.
<b>pH</b>	Not applicable.
<b>Melting point</b>	Not determined.
<b>Initial boiling point and range</b>	Not determined.
<b>Flash point</b>	40°C Setaflash closed cup.
<b>Evaporation rate</b>	Not determined.
<b>Flammability (solid, gas)</b>	Not relevant.
<b>Upper/lower flammability or explosive limits</b>	Not determined.

## POWERSOLVE WIPES

<b>Other flammability</b>	Not relevant.
<b>Vapour pressure</b>	Not determined.
<b>Relative density</b>	1.01 @ 25°C
<b>Solubility(ies)</b>	Miscible with water.
<b>Partition coefficient</b>	Not determined.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	Not determined.
<b>Explosive properties</b>	Not considered to be explosive.
<b>Oxidising properties</b>	There are no chemical groups present in the product that are associated with oxidising properties.
<b>Comments</b>	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

### 9.2. Other information

**Other information** Not determined.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not determined.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

### 10.5. Incompatible materials

**Materials to avoid** Flammable/combustible materials.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances:  
Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

## POWERSOLVE WIPES

### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### Reproductive toxicity

**Reproductive toxicity - development** Contains an ingredient listed as: Suspected reproductive toxicant based on limited evidence.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Central and/or peripheral nervous system damage.

**Target organs** Central nervous system

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Not anticipated to present an aspiration hazard, based on chemical structure.

**Inhalation** May cause drowsiness or dizziness.

**Ingestion** Gastrointestinal symptoms, including upset stomach.

**Skin contact** Prolonged contact may cause dryness of the skin.

**Eye contact** May cause discomfort.

**Acute and chronic health hazards** Vapour from this product may be hazardous by inhalation. Prolonged contact may cause dryness of the skin. Central nervous system depression.

**Route of exposure** Inhalation Dermal

**Target organs** Central nervous system Skin

**Medical symptoms** Central nervous system depression. Dizziness. Dry skin. Dryness and/or cracking. Drowsiness, dizziness, disorientation, vertigo.

**Medical considerations** The following pre-existing or historic medical conditions of the worker may lead to an increased risk of adverse health effects following exposure to this product: Central nervous system depression. Skin disorders and allergies.

### Toxicological information on ingredients.

#### (2-methoxymethylethoxy) propanol

#### Acute toxicity - oral

## POWERSOLVE WIPES

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 5,382.66

**Species** Rat

**ATE oral (mg/kg)** 5,382.66

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 5,001.0

**Species** Rabbit

**ATE dermal (mg/kg)** 5,001.0

**Acute toxicity - inhalation**

**Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)** 3,080.0

**Species** Rat

**ATE inhalation (vapours mg/l)** 3,080.0

**1-methoxy-2-propanol**

**Acute toxicity - inhalation**

**Acute toxicity inhalation (LC<sub>50</sub> dust/mist mg/l)** 7,559.0

**ATE inhalation (dusts/mists mg/l)** 7,559.0

<b>SECTION 12: Ecological information</b>
---

**Ecotoxicity** Not regarded as dangerous for the environment.

**12.1. Toxicity**

**Acute aquatic toxicity**

**Acute toxicity - fish** Not determined.

**Chronic aquatic toxicity**

**Chronic toxicity - fish early life stage** Not determined.

**Ecological information on ingredients.**

**(2-methoxymethylethoxy) propanol**

**Acute aquatic toxicity**

**Acute toxicity - fish** LC50, 96 hours: > 1000 mg/l, Poecilia reticulata (Guppy)

**Acute toxicity - aquatic invertebrates** NOEC, >: > 0.5 mg/l, Daphnia magna  
EC<sub>50</sub>, 48 hours: 1919 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 96 hours: > 969 mg/l, Selenastrum capricornutum

**1-methoxy-2-propanol**

## POWERSOLVE WIPES

### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC50, 96 hours: 6812 mg/l, Leuciscus idus (Golden orfe) , 96 hours: > 1000 mg/l, Pimephales promelas (Fat-head Minnow)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 21,100 - 25,900 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , >: > 1000 mg/l, Selenastrum capricornutum

### 12.2. Persistence and degradability

**Persistence and degradability** The product is expected to be biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

**Partition coefficient** Not determined.

### 12.4. Mobility in soil

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not determined.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

## SECTION 14: Transport information

**General** For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

### **Special Provisions note**

#### 14.1. UN number

**UN No. (ADR/RID)** 3175

**UN No. (IMDG)** 3175

**UN No. (ICAO)** 3175

#### 14.2. UN proper shipping name

**Proper shipping name (ADR/RID)** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.(1-methoxy-2-propanol)

**Proper shipping name (IMDG)** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.(1-methoxy-2-propanol)

**Proper shipping name (ICAO)** SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.(1-methoxy-2-propanol)

#### 14.3. Transport hazard class(es)

## POWERSOLVE WIPES

ADR/RID class	4.1
ADR/RID classification code	F1
ADR/RID label	4.1
IMDG class	4.1
ICAO class/division	4.1

### Transport labels



### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS	F-A, S-I
ADR transport category	2
Emergency Action Code	1Z
Hazard Identification Number (ADR/RID)	40
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Control of Substances Hazardous to Health Regulations 2002 (as amended). Dangerous Substances and Explosive Atmospheres Regulations 2002.
<b>EU legislation</b>	Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015.
<b>Guidance</b>	Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37.

### 15.2. Chemical safety assessment

## POWERSOLVE WIPES

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>ATE: Acute Toxicity Estimate.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>CAS: Chemical Abstracts Service.</p> <p>DNEL: Derived No Effect Level.</p> <p>EC<sub>50</sub>: 50% of maximal Effective Concentration.</p> <p>IATA: International Air Transport Association.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</p> <p>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>NOEC: No Observed Effect Concentration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.</p> <p>UN: United Nations.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p>
<b>Classification abbreviations and acronyms</b>	<p>Eye Dam. = Serious eye damage</p> <p>Flam. Liq. = Flammable liquid</p> <p>Repr. = Reproductive toxicity</p> <p>Skin Irrit. = Skin irritation</p> <p>STOT SE = Specific target organ toxicity-single exposure</p>
<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date</b>	10/12/2020
<b>Revision</b>	3.1
<b>Supersedes date</b>	03/09/2019
<b>SDS number</b>	28487
<b>Hazard statements in full</b>	<p>H226 Flammable liquid and vapour.</p> <p>H336 May cause drowsiness or dizziness.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.